



**AXELENT**

Est 1990

# FK

It is in the details that quality comes to the fore. Our FK storeroom system has a heavy duty tubular design for both its doors and walls, which makes the system secure and stable. Try combining FK with partitions from our F-system, the results are often really impressive.



- Extra robust tubular construction in both doors and walls.
- Can be combined with the F and FP systems.
- Can be cut to suit existing construction.
- Can be supplied with a roof for ceiling heights exceeding 3.5 metres.
- The walls are painted in RAL 9018.

Product	Size (mm)	Description
Vertical tubes	30x20	Tubular steel frame, wall
Horizontal tubes	35x15	Tubular steel frame, wall
Vertical tubes	30x20	Tubular steel frame, door
Horizontal tubes	35x15	Tubular steel frame, door
Vertical wires	Ø 4,0	Steel mesh
Horizontal wires	Ø 4,0	Steel mesh
Dimensions	50x65	
40-4225750(1)	2000x710	Door opening dimensions
40-4225900(1)	2000x860	Door opening dimensions









# Models




## Door 2 articles

ARTICLES / DESCRIPTION	WIDTH (MM)	HEIGHT (MM)
 <b>40-4225750</b> Door	750	2250
 <b>40-4225900</b> Door	900	2250

## Lock solutions 6 articles




ARTICLES / DESCRIPTION
 <b>34-00055</b> Reinforced padlock fitting with cover (standard)
 <b>34-90000</b> Cylinder lock (optional). Recommended to use lock cases with hook bolt like Assa 310 & 410 and not to use knobs on the inside of the door
 <b>XIT-L01-104</b> X-It cylinder lock, hinge door, left, System FK
 <b>XIT-R01-104</b> X-It cylinder lock, hinge door, right, System FK
 <b>XIT-L09-104</b> X-It Electric with escape release function, hinge door, left, System FK
 <b>XIT-R09-104</b> X-It Electric with escape release function, hinge door, right, System FK

## Wall section 10 articles

ARTICLES / DESCRIPTION	WIDTH (MM)	HEIGHT (MM)
 <b>40-2020</b> Wall section	200	2250
 <b>40-2025</b> Wall section	250	2250
 <b>40-2035</b> Wall section	350	2250

	<b>40-2040</b> Wall section	400	2250
	<b>40-2055</b> Wall section	550	2250
	<b>40-2060</b> Wall section	600	2250
	<b>40-2080</b> Wall section	800	2250
	<b>40-2100</b> Wall section	1000	2250
	<b>40-2110</b> Wall section	1100	2250
	<b>40-2120</b> Wall section	1200	2250

## Accessories 3 articles

ARTICLES / DESCRIPTION	WIDTH (MM)	HEIGHT (MM)
 <b>34-00110</b> Fittings for number patch, F/FK system		
 <b>34-00120</b> Shelf, double mounting. 1200x400 mm		
 <b>34-00130</b> Shelf, single mounting. 1200x400 mm		