




Est 1990

# Mesh panel Contour

X-Guard mesh panel Contour has rounded corners, making it not only the perfect solution for confined but also sleek in design. These panels come in four heights and 90° angle. The mesh requires a minimum safety distance of 200 mm. All panels have a 30x20 mm frame with factory-fixed brackets to facilitate assembly.

The mesh consists of vertical wires of Ø 3 mm and horizontal wires of Ø 2.5 mm.





The standard panel colour is black (RAL 9011) but customised colours are available upon request.



# Models


---

## Contour 4 articles

ARTICLES / DESCRIPTION	HEIGHT (MM)	MESH APERTURE
 <b>W32R90-130</b> 90°	1300	50x30
 <b>W32R90-190</b> 90°	1900	50x30
 <b>W32R90-220</b> 90°	2200	50x30
 <b>W32R90-240</b> 90°	2400	50x30

## Related products

---



### PANELS

#### Mesh panel

X-Guard mesh panels come in two sizes of mesh; Premium 50x20 and Classic 50x30 mm. The safety distance determines the size of mesh required. The Classic 50x30 mesh requires a minimum distance of 20...

[75 articles](#)



### PANELS

#### Plastic panel

The X-Guard series also includes plastic panels. Some environments require more comprehensive protection, which our see-through plastic walls can provide. X-Guard plastic panels are easy to fit and...

[12 articles](#)



### PANELS

#### Sheet metal panel

The X-Guard series also includes sheet metal panels. Some environments require more comprehensive protection, which our sheet metal covered walls can provide. X-Guard sheet metal panels are e...

[10 articles](#)



### PANELS

#### Sheet metal panel with window

X-Guard sheet metal panels are also available with window. Some environments require more comprehensive protection, which our sheet metal covered walls can provide. When a process needs to be monit...

[6 articles](#)